

Quadratic Level Full Electroweak Leptonic Corrections with Covariant Approach

Friday, 16 February 2024 09:00 (15 minutes)

In order to search for the physics beyond the Standard Model at the precision frontier, it is sometimes essential to account for Next-to-Next- Leading Order (NNLO) theoretical corrections. Using the covariant approach, we calculated the full electroweak leptonic tensor up to quadratic (one loop squared) NNLO (α^3) order, which can be used for the processes like e^+p and μ^+p scattering relevant to MOLLER (background studies) and MUSE experiments, respectively. In the covariant approach, we apply unitary cut of Feynman diagrams and separate them into leptonic and hadronic currents and hence, after the squaring matrix element, we can obtain differential cross section up to NNLO level.

In this presentation, I will quickly review covariant approach and provide our latest results for quadratic QED and Electroweak corrections to e^+p and μ^+p scattering processes.

Your Email

mghaffar@mun.ca

Supervisor

Aleksandrs Aleksejevs

Supervisor Email

aaleksejevs@grenfell.mun.ca

Affiliation

Memorial University of Newfoundland

Your current academic level,

PhD student

Primary author: Mr GHAFFAR, Mahumm

Presenter: Mr GHAFFAR, Mahumm

Session Classification: Morning 1 - Feb. 16, 2024

Track Classification: QCD and Hadrons