

## Study and Beam Experiments of a Compact Accelerator-Based Neutron Source

*Tuesday, 25 February 2025 16:23 (1 minute)*

This study developed a compact accelerator-based neutron source integrating double Einzel-lens focusing and RFQ acceleration. In the LEBT section, dual electrostatic lenses were employed to focus the beam, achieving a 30 keV, 15 mA pulsed beam output within a length of 0.22 meters, meeting the input requirements of the accelerator. A four-vane RFQ operating at 325 MHz was utilized to accelerate protons from 30 keV to 2.5 MeV over a length of 2.6 meters, achieving a peak beam current of 12 mA and a duty factor of 3%. In the HEBT section, two quadrupole magnets were employed for beam focusing, along with the installation of essential beam diagnostic elements. Beam experiment results demonstrated that the system achieved a 10.6 mA peak proton beam current on the target, with an RFQ transmission efficiency of 93.8% and an effective acceleration efficiency of 87%. The design strategy and experimental results are presented and discussed in this paper.

### Email Address

Email Address

### Presenter if not the submitter of this abstract

### Funding Agency

### Abstract classification - track type

Future of CANS

**Primary author:** HAOQUAN, Su (Xi'an Jiaotong University)

**Co-authors:** Mr LI, Haipeng (Xi'an Jiaotong University); Mr PAN, Wenlong (Xi'an Jiaotong University); Mr KONG, Guoqing (Xi'an Jiaotong University)

**Presenter:** HAOQUAN, Su (Xi'an Jiaotong University)

**Session Classification:** Poster Session 1